

| Notice of Allowability | Application No. | Applicant(s) | ļ |
|--|--|----------------------------------|---|
| | 10/693,133 | MILLER, CHARLES A. | |
| | Examiner | Art Unit | |
| | VINH P. NGUYEN | 2829 | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | | |
| 1. X This communication is responsive to <u>pre-appeal brief request filed on 09/19/2006</u> . | | | |
| 2. The allowed claim(s) is/are <u>1-13 and 24</u> . | | | |
| 3. | | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of | | | |
| each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 5. Notice of Informal P 6. Interview Summary Paper No./Mail Da 7. Examiner's Amendr 8. Examiner's Stateme 9. Other | (PTO-413), te ment/Comment | |

Application/Control Number: 10/693,133 Page 2

Art Unit: 2829

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

- 2. Amendment filed on 03/17/2006 have been entered
- 3. The following is an examiner's statement of reasons for allowance:

Claims 1-13 and 24 are allowable. The prior art does not disclose a variable delay control circuit having an output providing the variable delay control input of the variable delay isolation buffer, the delay control circuit setting a delay control voltage potential at its output to control delay through the variable delay isolation buffer to substantially match delay tllrough a time delay reference as recited in claims 1-2 and in combined with other claimed elemens. Since claims 3-13 and 24 depend from allowable claims 1-2, therefore they are also allowed accordingly.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VINH P. NGUYEN whose telephone number is 571-272-1964. The examiner can normally be reached on 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, HA T. NGUYEN can be reached on 571-272-1678. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/693,133

Art Unit: 2829

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

VINH P NGUYEN Primary Examiner Art Unit 2829 Page 3

08/14/06